CORDEN et al Appl. No. 10/625,524 November 15, 2006

NOV 1 5 2006

MENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1-12 (cancelled).

13 (currently amended). A process for producing a biodegradable fibre-reinforced shaped composite comprising providing a shaped preform of reinforcing fibres in a mould or tool, introducing into the tool or mould containing the preform a composition comprising, oligomers, and partially or substantially polymerising the composition to form a polymer in the mould or tool.

14 (previously presented). A process according to Claim 13 wherein the fibres in the preform have a predetermined regular, irregular or profiled fibre distribution, orientation and/or fraction.

15 (previously presented). A process according to Claim 14 wherein the distribution, orientation and/or fraction of the fibres in the fibre preform is retained on introduction of the composition into the mould or tool.

16 (previously presented). A process according to Claim 13 wherein the polymer and the fibres are selected to have different biodegradation rates.

CORDEN et al Appl. No. 10/625,524 November 15, 2006

17 (previously presented). A process according to Claim 13 wherein the polymer is selected from the group consisting of polymers and copolymers of aliphatic polyesters.

18 (previously presented). A process according to Claim 17 wherein the polymer comprises poly-ε-caprolactone.

19 (currently amended). A process according to Claim 13 wherein the fibre reinforcement is selected from the group consisting of:

- (a)ceramics;
- (b)bioglasses:;
- (c) mixtures of silica, sodium oxide, calcium oxide and phosphorus pentoxide; and
- (d)polymers and co-polymers of aliphatic polyesters.

20 (previously presented). A process according to Claim 13 wherein the polymer is a thermoplastic polymer.

21 (previously presented). A process according to Claim 13 wherein the fibres of the preform are continuous or long fibres.

22 (previously presented). A process according to Claim 13 wherein the fibres are long continuous fibres which are 10<sup>2</sup> -10<sup>4</sup> times greater in length than diameter.

CORDEN et al Appl. No. 10/625,524 November 15, 2006

23 (previously presented). A process according to Claim 13 wherein the polymer impregnates the fibres of the preform.

24-37 (cancelled).

38 (previously presented). A process according to claim 1 wherein the composition is introduced into the mould or tool by injection.

39-40 (cancelled).